# el:(01756) 794291

## The Landy P.T.O

Consistently popular, the P.T.O model has been continually developed and enhanced. We now have eight standard versions all of which utilize the same model of pump which has three crank driven

pistons with very hard wearing ceramic sleeves, stainless steel unitised valves and a brass cylinder head. The pump is directly driven

from the P.T.O drive on the tractor.

Designed with power and simplicity in mind, our P.T.O range of power washers are constructed on a universal, robust, tubular frame with

stove enamelled finish which is easily mounted to the three point linkage of agricultural tractors.

Best suited to situations where the use of electrical equipment is not appropriate, the P.T.O. has the powerful cleaning force required for any task at a fraction of cost of an engine powered washer of similar output. All models are equipped with a suction hose and filter enabling them to draw the water they require from a bowser, tank or other



reservoir source. All models are supplied complete with p.t.o. shaft, 4m suction hose/filter and bypass return pipe.

AMBERT AND DYSON LIMI

## Single Lance P.T.O. **Pressure Washer**



## **Basic One Lance**

Operates at 3,000p.s.i. / 200 bar at 16 litres of water per minute at 540 r.p.m. OR (with correct nozzle) 3,000p.s.i. / 200 bar at 30 litres of water per minute at 1,000 r.p.m.

## Complete with;

- 15m high pressure hose P. T.O. Shaft
- 900mm lance and washgun
- 4m Suction hose and bypass hose

Also available with a gear box. Please ask for more details

## Single Lance P.T.O. Pressure Washer



## One Lance Hose Reel

Operates at 3,000p.s.i. / 200 bar at 16 litres of water per minute at 540 r.p.m. OR (with correct nozzle) 3,000p.s.i. / 200 bar at 30 litres of water per minute at 1,000 r.p.m. Complete with a manual hose reel.

## Complete with;

- 30m or 50m high pressure hose
- 900m lance and washgun
- P. T.O. Shaft
- 4m Suction hose and bypass hose

Also available with a gear box. Please ask for more details

## Two Lance P.T.O. **Pressure Washer**



## **Basic Two Lance**

Operates 2 lances at 3,000 p.s.i. / 200 bar with 15 litres of water down each lance when operated at 1,000 r.p.m

## **Complete with:**

- 2x 15m high pressure hose
- P.T.O. shaft

- 2x 900mm lances and washguns
- 4m suction and bypass hose

Also available with a gear box. Please ask for more details.

HIGH PRESSURE WASHER

## Two Lance P.T.O. Pressure Washer



## Two Lance Hose Reel

Operates 2 lances at 3,000 p.s.i. / 200 bar with 15 litres of water down each lance when operated at 1,000 r.p.m, with the addition of two manual hose reels.

## Complete with:

- •2x 30m or 50m high pressure hose
- •P.T.O. shaft

- 2x 900mm lances and washguns
- •4m suction and bypass hose

Also available with a gear box. Please ask for more details.

## **P.T.O. 100m Drain**

**Jetter** 



This machine is available with either 50m or 100m of thermoplastic drain jetting hose fitted on the single hose reel. It also has a standard 15m high pressure hose and lance for general use.

900mm lance and Complete with;

100m drain jetting hose & washgun

P.T.O. shaft nozzle

4m suction and bypass 15m high pressure hose

hose

Also available with a gear box. Please ask for more details.

## andy Works, Keighley Road, SKIPTON, North Yorkshire, BD23 2TA el:(01756) 794291

## P.T.O. Drain Jetter &

## **Pressure Washer**



Two hose reels, one fitted with 50m or 100m of thermoplastic drain jetting hose (maximum capacity 100m of this hose), the other fitted with 30m or 50m of high pressure hose and lance for general use.

## Complete with;

- 50m or 100m drain jetting hose & nozzle
- 30m or 50m high pressure hose
- 900mm lance and washgun
- P.T.O. shaft
- 4m suction and bypass hose

Also available with a gear box. Please ask for more details.

## **Trailer Mounted** PTO. Washer & Jeller

PTO powered combination Pressure washer and Drain jetter designed for use with compact tractors.



## Features:

- 1000 litre on board water tank.
- 50 or 100 metres drain jetting hose (mounted on hose reel)
- 30 or 50 metres pressure wash hose (mounted on hose reel)
- Pressure wash lance and gun
- 3000psi (200bar)
- 16 litres per minute @540rpm
- 30 litres per minute @1000rpm
- Pressure regulator valve with bypass return to tank
- 1000mm PTO shaft
- 'Slow tow' trailer with low ground pressure tyres and ring hitch.

Also available with a gear box. Please ask for more details.

## **Bowser Mounted** P.T.O. Washer & Jetter



## Features:

- Up to 600 litres on board water tank.
- Up to 100 metres drain jetting hose (mounted) on hose reel)
- Up to 50 metres pressure wash hose (mounted on hose reel)
- Pressure wash lance and gun
- 3000psi (200bar)
- 16 litres per minute @540rpm
- 30 litres per minute @1000rpm
- Pressure regulator valve with bypass return to tank
- Skid mounted with cat.2 three point linkage
- 600mm PTO shaft

Also available with a gear box. Please ask for more details.